



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2017 - December 31, 2017

Filing Confirmation Number: 0008062916

Filing Deadline: January 16, 2018

FRN: 0015370570

Filing Date: 01/16/2018 10:12 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: eKit.com, Inc.

Brand Names: eKit
Telestial

PO Box:

Street Address: 423 West Broadway, Suite 304

City: South Boston

State: MA

Zip Code: 02127

Contact Name: Steven Searle

Contact Phone: (617) 737-3040

Contact Fax:

Contact Email: ssearle@ekit-inc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Cheng-yi Liu
PO Box:
Street Address: 1300 N 17th Street, Suite 1100
City: Arlington
State: VA
Zip Code: 22209

Contact Name: Cheng-yi Liu
Contact Phone: (703) 812-0478
Contact Fax:
Contact Email: liu@fhhlaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.ekit.com; www.telestial.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HAC information was made available via the company's

website as well as training of internal staff to provide accurate information.

Methodology for Functionality Levels

Basic describes handsets with entry level features and design.

Advanced describes handsets with the most advanced functionality (e.g., smart phones).

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 13

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	10	77%			3	23%	13

Handset 1: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 2: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 3: Apple IPHONE 6S

Handset Maker

Apple

Handset Model Name

IPHONE 6S

FCC ID

BCG-E2946A

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 4: Apple IPHONE 6S PLUS

Handset Maker

Apple

Handset Model Name

FCC ID

IPHONE 6S PLUS

BCG-E2944A

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 5: BLU Advance 4.0 L

Handset Maker

BLU

Handset Model Name

Advance 4.0 L

FCC ID

YHLBLUADVANCE L2

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 6: LG G3

Handset Maker

LG

Handset Model Name

G3

FCC ID

ZNFD850, ZNFD851, ZNFD855

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 7: Motorola Moto G 3rd Edition

Handset Maker

Motorola

Handset Model Name

Moto G 3rd Edition

FCC ID

IHDT56QG1, IHDT56QG2

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 8: Nokia Lumia 900

Handset Maker

Nokia

Handset Model Name

Lumia 900

FCC ID

QMNRM-808, QMNRM-823

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 9: Samsung Galaxy S5

Handset Maker

Samsung

Handset Model Name

Galaxy S5

FCC ID

A3LSMG900F, A3LSMG900A, A3LSMG900T, A3LSMG900M

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 10: Shenzhen CE and IT Limited JT Smart 2

Handset Maker

Shenzhen CE and IT Limited

Handset Model Name

JT Smart 2

FCC ID

YG5SMART2

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 11: Shenzhen CE and IT Limited JT Travel Buddy

Handset Maker

Shenzhen CE and IT Limited

Handset Model Name

JT Travel Buddy

FCC ID

YG5JT1

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 12: Snapfon ezTwo

Handset Maker

Snapfon

Handset Model Name

ezTwo

FCC ID

ZXL-EZTWOB

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Basic

Remarks

Handset 13: Verykool R25

Handset Maker

Verykool

Handset Model Name

R25

FCC ID

WA6R25

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Basic

Remarks

Certification

This Report has been certified by:

Steven Searle CFO
01/16/2018 10:12 AM

Reference Copy